

## Visqueen Medium Duty Protection Board

### Features and benefits

- Complete system - suitable for protecting Visqueen Urban Drainage Geomembrane (UDG)
- Tough and durable - impact resistant
- Lightweight - easy to handle
- Flexible - easy to install
- Manufactured in the UK

### Product description

Visqueen Medium Duty Protection Board is a 3mm thick twin-walled polypropylene protection board supplied in a sheet 1.22m x 2.44m.

### Approvals and standards


- Quality Management System ISO 9001

### Usage

Visqueen Medium Duty Protection Board is a permanent protection sheet providing effective protection when backfilling against a storm water attenuation systems.

### System components

#### Find your local stockist





## Visqueen Medium Duty Protection Board

### Storage and handling

Store horizontally, under cover in its original packaging.

Care should be taken when handling the product in line with current manual handling regulations.

---

### Preparation

The substrate should be free from irregularities such as voids or sharp protrusions.

The board can be cut with a sharp retractable safety knife or robust scissors.

---

### Installation

Visqueen Medium Duty Protection Board can be positioned horizontally and vertically. Ensure that the boards remain in position prior to backfilling e.g. securing in position with Visqueen Urban Drainage Geomembrane (UDG) Double Sided Jointing Tape.

When jointing is required butt joint the boards and over tape the butt joint with the Visqueen Pro Single Sided Tape. Smooth down all taped joints and perimeters by applying pressure along their length.

---

### Usable temperature range

It is recommended that Visqueen Medium Duty Protection Board is used above 5°C.

---

### Additional information

In adverse weather conditions Visqueen Medium Duty Protection Board can be subjected to wind-uplift therefore when positioned the board may require loading e.g. with a small amount of backfill material or sandbags.

The information in this datasheet was correct at the time of publication. It is the user's responsibility to obtain the latest version of the datasheet as it is updated on a regular basis. The information contained in the latest datasheet supersedes all previously published editions.

## Visqueen Medium Duty Protection Board

Property	Value
Board size	1.22m x 2.44m
Board thickness	3mm
Board colour	Black

### Health and safety information

Please refer to Visqueen Medium Duty Protection Board material safety datasheet (MSDS).

## Visqueen Medium Duty Protection Board

### About Visqueen

The Visqueen name has long been recognised as one of the leading manufacturers of high quality advanced membrane technologies and design based solutions by specifiers, distributors, builders merchants and contractors throughout the UK and Europe.

For further guidance on the Visqueen services shown below, please refer to the relevant section of the Visqueen website ([www.visqueen.com](http://www.visqueen.com)) or contact Visqueen Technical Services on +44 (0) 333 202 6800 or [enquiries@visqueen.com](mailto:enquiries@visqueen.com)

### Complete Range, Complete Solution



Structural Waterproofing



Gas Protection



Damp Proof Membrane



Tapes



Damp Proof Course



Stormwater



Vapour Control

### Visqueen Technical Support

Visqueen combine an extensive product portfolio with industry leading levels of service and support which includes guidance over the phone, bespoke CAD drawings to help with complex detailing, electronic NBS specifications and access to a dedicated team of highly knowledgeable and experienced field based Technical Support Managers.

Visqueen Technical Support is available to all our customers including architects, specifiers, distributors, builders merchants, contractors and end users. All of our technical team have been awarded the industry recognised qualification Certificated Surveyor in Structural Waterproofing (CSSW).

### Visqueen CPD Seminars

The Visqueen Continuing Professional Development (CPD) Seminars provide up-to-date information on changes within Building Regulations/Building Standards and nationally recognised industry guidance affecting damp proofing, water vapour control, hazardous ground gas protection and below ground structural waterproofing.

The one hour seminars have been produced for design specialists within the construction sector and are delivered by our team of Technical Support Managers.

### Visqueen PI designs and special projects

From initial design to the completed project, Visqueen are with you every step of the way. Whether it be hazardous ground gas protection and/or below ground waterproofing protection employing barrier, structurally integral or drained systems, Visqueen can offer professional indemnity (PI) insurance for bespoke Visqueen design solutions.

Visqueen Technical Support Managers work with all stakeholders to provide cost effective Visqueen solutions offering complete peace of mind throughout the construction phase and beyond.

### Visqueen Training Academy

Based at our manufacturing facility in Derbyshire, the Visqueen Training Academy is available to support Visqueen customers throughout the UK by providing a wide range of both theory and practical skills related training.

Courses include one day product awareness training for our distributors and builders merchants to help them in their day-to-day jobs, through to intensive three day courses giving detailed hands-on training in the practical skills required for safe and robust product installation.