

## Visqueen Megafilm LPS1207 Temporary Floor Protection

### Features and benefits

- Complete range - Ideal for any flooring types
- Large roll format - ensures quick and easy installation
- Unique embossed design - to cushion against heavy trafficked areas and following trades.
- Flame retardant - helps reduce the risk of losses from fires on construction sites
- LDPE based - recyclable and reusable
- LPS1207 temporary floor protection - helps avoid delay penalties to fast-track build programmes when floors are exposed to damage
- LPS1207 cert.no 521a/03 - 3rd party flame retardant certification
- LPS1207 cert.no 521a/03 - Complies with the Joint Code of Practice Insurance requirements
- Manufactured in the UK by Visqueen

### Product description

Visqueen Megafilm is a high quality moulded (embossed) film manufactured using virgin polymers with specialty additives to ensure the product is flame retardant to LPS1207 - Loss Prevention Standard cert no. 521a/03.

Visqueen Megafilm is a flame retardant temporary floor protection sheet which comes on a roll. The range consists of a heavy duty (1.5m or 1m x 100m) and medium duty (1.5m x 100m).

Other sizes and bespoke printing available on request, subject to minimum order quantities.

### Approvals and standards

- LPCB: LPS1207 Loss Prevention Standard certificate no. 521a/03
- Ignitability (Small & Large tests) (BS 476: Part 12:1991 & LPS: BS5852)
- Smoke Emissions Test (prEN 2825 & prEN 2824)
- Toxic Gas Emission Test (prEN 2826 & prEN 2824)
- Critical Oxygen Index (BS 2782: Part 1: Method 141: 1986)
- Quality Management System ISO 9001:2015

### Usage

Visqueen Megafilm is a flame retardant temporary floor protection sheet which comes on a roll. It provides effective protection in various applications whilst buildings undergo refurbishment or construction. Visqueen Megafilm protects a diverse range of surfaces including carpet, hard floors, wooden floors, vinyl and stone flooring. The LPS1207 certificate also covers custom printed specifications.


Visqueen Megafilm ensures compliance when insurers, developers and owners have a clause in the main contractors policy requesting compliance with "LPS1207" and 'The Joint Code of Practice'. Using flame retardant materials helps reduce the risk of losses from fires on construction sites.

Fast track build programmes and delay penalties now see floors and finishes installed at an earlier stage within the build programme. This means finishes are exposed to following trades leaving the potential for damage. Any repair or cleaning can prove costly and time consuming and can result in a delay in hand over of the premises. Visqueen Megafilm products allow for finishes to be installed, then protected, meaning the site can progress as planned.

### System components

- VisqueenPro Single Sided Tape, 75mm x 25m

### Find your local stockist



**Professional Indemnity Design**  
Full Design Liability for Structural Waterproofing  
and Gas Protection

**VISQUEEN**  
PROFESSIONAL SERVICES

Start your next project with us today, visit  
[www.visqueen.com](http://www.visqueen.com) or call us on +44 (0) 333 202 6800

## Visqueen Megafilm LPS1207 Temporary Floor Protection

### Storage and handling

Store in a warm, dry and clean environment in its current packaging. Visqueen Megafilm should be stored horizontally, under cover in its original packaging.

Care should be taken when handling the product in line with current manual handling regulations.

---

### Preparation

Surfaces must be smooth and free from sharp protrusions,

---

### Installation

Material should be laid print uppermost, unless unprinted. Unroll the material and cut to fit the area to which is going to be protected. Allow an overlap gap of at least 75mm to provide a trip free joint when taped securely with a single sided tape. Pull protection taut to ensure that the material lies flat. For the protection of columns, walls and joinery, if necessary ensure that the board and / or Sheet are secured in place with tape. Overlay adjacent sheets by 75mm and seal with single sided tape. Smooth down all taped joints and perimeters by applying pressure along their length.

---

### Usable temperature range

It is recommended that Visqueen Megafilm is installed above 5°C

---

### Additional information

Using Visqueen Flame Retardant Products will significantly diminish fire risk. Furthermore, the use of LPS 1207 approved products, such as Visqueen Megafilm® is an assurance that ample and reasonable steps have been taken to reduce fire risk. All products have the relevant accreditation body approval mark and manufacturers certificate number.

## Visqueen Megafilm LPS1207 Temporary Floor Protection

Property	Result	
Megafilm Heavy Duty	1.5m or 1m x 100m x 200 micron	
Colour	Blue	
Applications	Wood, vinyl and stone floors	
Megafilm Medium Duty	1.5m x 100m x 100 micron	
Colour	White	
Applications	Carpets or soft flooring systems	
LPS1207 property	Method	Result
Ignitability	BS 476 part 12	Pass
Smoke emissions	prEN 2824 and 5	Pass
Toxic gas	prEN 2824 and 6	Pass
Critical oxygen index	BS 2782 part 1	Pass

### Health and safety information

Refer to Visqueen Megafilm material safety datasheet (MSDS)

## Visqueen Megafilm LPS1207 Temporary Floor Protection

### About Visqueen

The Visqueen name has long been recognised as one of the leading manufacturers of high quality advanced membrane technologies and design based solutions by specifiers, distributors, builders merchants and contractors throughout the UK and Europe.

For further guidance on the Visqueen services shown below, please refer to the relevant section of the Visqueen website ([www.visqueen.com](http://www.visqueen.com)) or contact Visqueen Technical Services on +44 (0) 333 202 6800 or [enquiries@visqueen.com](mailto:enquiries@visqueen.com)

### Complete Range, Complete Solution



Structural Waterproofing



Gas Protection



Damp Proof Membrane



Tapes



Damp Proof Course



Stormwater



Vapour Control

### Visqueen Technical Support

Visqueen combine an extensive product portfolio with industry leading levels of service and support which includes guidance over the phone, bespoke CAD drawings to help with complex detailing, electronic NBS specifications and access to a dedicated team of highly knowledgeable and experienced field based Technical Support Managers.

Visqueen Technical Support is available to all our customers including architects, specifiers, distributors, builders merchants, contractors and end users. All of our technical team have been awarded the industry recognised qualification Certificated Surveyor in Structural Waterproofing (CSSW).

### Visqueen CPD Seminars

The Visqueen Continuing Professional Development (CPD) Seminars provide up-to-date information on changes within Building Regulations/Building Standards and nationally recognised industry guidance affecting damp proofing, water vapour control, hazardous ground gas protection and below ground structural waterproofing.

The one hour seminars have been produced for design specialists within the construction sector and are delivered by our team of Technical Support Managers.

### Visqueen PI designs and special projects

From initial design to the completed project, Visqueen are with you every step of the way. Whether it be hazardous ground gas protection and/or below ground waterproofing protection employing barrier, structurally integral or drained systems, Visqueen can offer professional indemnity (PI) insurance for bespoke Visqueen design solutions.

Visqueen Technical Support Managers work with all stakeholders to provide cost effective Visqueen solutions offering complete peace of mind throughout the construction phase and beyond.

### Visqueen Training Academy

Based at our manufacturing facility in Derbyshire, the Visqueen Training Academy is available to support Visqueen customers throughout the UK by providing a wide range of both theory and practical skills related training.

Courses include one day product awareness training for our distributors and builders merchants to help them in their day-to-day jobs, through to intensive three day courses giving detailed hands-on training in the practical skills required for safe and robust product installation.